ELSEVIER

Journal of Materials Processing Technology 62 (1996) 461–463

Journal of Materials Processing Technology

Contents of Volume 62

Comparison of grindability of HIPed austenitic 316L, duplex 2205 and super duplex 2507 and as-cast 304 stainless steels using alumina wheels 1
L. Jiang, J. Paro, H. Hänninen, V. Kauppinen (Espoo, Finland), R. Oraskari (Helsinki, Finland)
Effect of the heat-transfer coefficient in ring-compression tests 10
K. Andersson, S. Kivivuori, A.S. Korhonen (Espoo, Finland)
A new local forming technology for special-shaped rails 14
L. Chao (Harbin, People's Republic of China)
Some comments on modern technology in the manufacturing of printing rollers for the production of oil-cloth and packaging materials 18
I.I. Klyachko, V.D. Sherbakova, Yu.I. Nesterov (Moscow, Russian Federation)
The state of the machining of ceramic materials in China 20
J. Zhixin, G. Yongfeng, L. Yonghong (Harbin, People's Republic of China), Z. Jianhua, A. Xing, A. Zhaoliang (Jinan, People's Republic of China), L. Jinchun (Harbin, People's Republic of China)
Burr formation and fracture in oblique cutting 24
S.L. Ko (Daegu, South Korea), D.A. Dornfeld (Berkeley, CA, USA)
New recognition and untouched engineering subjects on the phenomenon of fatigue 37
H.-K. Oh (Suwon, South Korea)
Characterization of high-temperature fatigue by the uniaxial tensile test. 42
H.-K. Oh (Suwon, South Korea)
Mechanism of spark generation during electrochemical discharge machining: a theoretical model and experimental verification 46
I. Basak (Durgapur, India), A. Ghosh (Kanpur, India)
The anisotropic heat-affected zone in the laser grooving of fiber-reinforced composite material 54
C.T. Pan, H. Hocheng (Hsinchu, Taiwan, ROC)
Fuzzy-control simulation of cross-sectional shape in six-high cold-rolling millings 61
J.-Y. Jung, Y.-T. Im, H. Lee-Kwang (Taejon, South Korea)
High-precision sheet-metal workpieces manufactured by flexible-die forming using a visco–plastic pressure-carrying medium 70
M.W. Fu (Singapore, Singapore), S.Q. Lu, M.H. Huang (Nanchang, People's Republic of China)
Effect of double thermomechanical treatments on the properties of 7075 Al alloy 76
Z.M. El-Baradie, M. El-Sayed (Cairo, Egypt)
A three-dimensional UBET model applied to the forging of square blocks between flat dies and grooved dies of simple geometry 81
J. Hou, U. Ståhlberg (Stockholm, Sweden)
Analysis of superplastic forming processes using a finite-element method 90
Y.H. Kim, S.S. Hong, J.S. Lee (Daejon, South Korea), R.H. Wagoner (Columbus, OH, USA)
Prediction of the pore-closing kinetics during the consolidation stage of SiC unidirectional long fibers: titanium alloy matrix composites 100
S. Bordere, C. Magny, K. Marchal, M. Bellet, C. Levaillant (Sophia Antipolis and Marseille, France)
Effect of additives on the densification and microstructural development of low-grade alumina powders 108
H. Erkalfa, Z. Mısırlı, T. Baykara (Gebze, Turkey)
Fabrication of metal-matrix composites by the die-casting technique and the evaluation of their mechanical properties . 116
C.G. Kang, K.S. Yun (Pusan, South Korea)
Computer-aided forging-die design for two-dimensional cross-sectional components 124
J.C. Choi, B.M. Kim, S.W. Kim, C.H. Kim (Pusan, South Korea)
Constitutive equations of silicon bronzes. 133
Z.J. Gronostajski (Wrocław, Poland), Z. Misiołek (Gliwice, Poland)
Optimization of the upsetting–sliding test parameters for the determination of friction laws at medium and high contact pressures 140
A. Dubois, D. Patalier, P. Picart, J. Oudin (Valenciennes, France)

Elsevier Science S.A.

Study of the jet-flow rate of cooling in machining
Part 1. Theoretical analysis. 149
X. Li (Singapore, Singapore)
Study of the jet-flow rate of cooling in machining
Part 2. Simulation study 157
X. Li (Singapore, Singapore)
Prediction of surface-fracture initiation in the axisymmetric extrusion and simple upsetting of an aluminum alloy 166
D.-C. Ko, B.-M. Kim, J.-C. Choi (Pusan, South Korea)
Correlations amongst process parameters in metal cutting and their use for establishing the optimum cutting speed . . . 175
V.P. Astakhov, M.O.M. Osman (Montreal, Que., Canada)
A model for the hot deformation of low-carbon steel 180
R. Colás (Nuevo León, Mexico)
A class of upper-bound solutions for the extrusion of square shapes from square billets through curved dies 185
K.P. Maity, P.K. Kar, N.S. Das (Orissa, India)
Dynamic consolidation of aluminium and Al–20 V/o SiCp composite powders. 191
K. Sivakumar, T. Balakrishna Bhat (Hyderabad, India), P. Ramakrishnan (Bombay, India)
Theoretical analysis and experimental research into the integral hydro-bulge forming of oblate shells. 199
S.H. Zhang, Y.S. Zeng, Z.R. Wang (Harbin, People's Republic of China)
Acquiring the constitutive relationship for a thermal viscoplastic material using an artificial neural network 206
L. Qingbin, J. Zhong, L. Mabao, W. Shichun (Xi'an, People's Republic of China)
Application of the finite-element method in the reform of lightweight vehicle construction 211
P. Li, G. Zhao (Jinan, People's Republic of China), Y. Osawa (Nagoya, Japan)
Formation of powder particles during thermal interaction of liquid and solidified drops in the process of metal atomization. 216
V.V. Sobolev, J.M. Guilemany, A.J. Martín (Barcelona, Spain)
Rationale for composition-specific ageing schedules for particle-reinforced metal-matrix composites. 225
C.H.J. Davies (Clayton, Vic., Australia)
Simulation of rail rolling using the generalized plane-strain finite-element approach 229
M. Glowacki (Kraków, Poland)
The evaluation of anti-galling characteristics by observation of adhesion morphologies using injection upsetting 235
T. Nishimura, T. Sato, Y. Tada (Tokushima, Japan)
Upper-bound analysis of square-die forward extrusion. 242
D.K. Kim (Changwon, South Korea), J.R. Cho, W.B. Bae, Y.H. Kim (Pusan, South Korea)
An analytical approach to asymmetrical cold- and hot-rolling of clad sheet using the slab method 249
Y.-M. Hwang (Kaohsiung, Taiwan, ROC), G.-Y. Tzou (Ping-Tung, Taiwan, ROC)
Physical modelling with application to metal working, especially to hot rolling 260
S.F. Wong, P.D. Hodgson (Clayton, Vic., Australia), C.-J. Chong (Hastings, Vic., Australia), P.F. Thomson (Clayton, Vic., Australia)
Forming-limit diagrams for Al 2124 and Al–Li 8090 through fracture mechanics and perturbation analysis 275
N.P. Andrianopoulos (Athens, Greece), B. Dodd (Reading, UK), S.K. Kourkoulis (Athens, Greece), L. Limin (Reading, UK)

Letter to the Editor

The interesting phenomenon of negative residual strain in a pressure vessel 283
F. Zenxiang, Y. Ziying (Shaanxi, People's Republic of China)

Conference Report

Explomet '95, International Conference on metallurgical and materials applications of shock-wave and high-strain-rate phenomena 284

Ultrasonic assisted grinding of ceramics 287
G. Spur and S.E. Holl (Berlin, Germany)
Quality and cost comparisons between laser and waterjet cutting 294
H.Y. Zheng, Z.Z. Han, Z.D. Chen, W.L. Chen and S. Yeo (Singapore)
Electro-discharge machine dressing of the fine grain super abrasive grinding wheel 299
X. Wang, B. Ying and W. Liu (Beijing, China)
Production of electrodeposited diamond wheels and grinding performance for hard metals and ceramics 303
K. Sato, Y. Yokoyama (Noda-Shi, Japan) and K. Suzuki (Oyama-Shi, Japan)
Present and future of lasers for fine cutting of metal plate 309
N. Tabata, S. Yagi (Amagasaki, Japan) and M. Hishii (Nagoya, Japan)

Grinding characteristics of hard and brittle materials by fine grain lapping wheels with electrolytic in-processing dressing 315
N. Itoh (Ibaraki, Japan) and H. Ohmori (Tokyo, Japan)
Laser cladding of WC-Ni composites 321
Z. Chen, L.C. Lim and M. Qian (Singapore)
Effect of diamond tool sharpness on minimum cutting thickness and cutting surface integrity in ultraprecision machining. 327
Z.J. Yuan, M. Zhou and S. Dong (Harbin, P.R. of China)
Mirror cutting of aluminum with sapphire tool 331
K. Oishi (Kanagawa, Japan)
Performance evaluation of shank-type tooling and modular tooling for lathes 335
S.H. Yeo and M. Rahman (Singapore)
Chip control in finish cutting of magnesium alloy 341
M. Arai, S. Sato, M. Ogawa and H. Shikata (Yokohama, Japan)
Chip breaking analysois from the viewpoint of the optimum cutting tool geometry design 345
J. Shinozuka, T. Obikawa and T. Shirakashi (Tokyo, Japan)
Case studies of troubleshooting in connection with uncontrollable chips 352
K. Maekawa, I. Ohshima (Hitachi, Japan) and Y. Nakano (Hitachinaka, Japan)
Machinability of medium carbon graphitic steel. 358
S. Katayama and M. Toda (Tokyo, Japan)
Simulation analysis of machinability of leaded Cr-Mo and Mn-B structural steels. 363
K. Maekawa (Hitachi, Japan), H. Ohhata (Kokubu, Japan), T. Kitagawa (Kitami, Japan) and T.H.C. Childs (Leeds, UK)
Improved machinability of nitriding steel (SACM 645) 370
M. Hirao, T. Fuse, K. Shirase, T. Yasui, T. Shiraga and N. Ishikawa (Japan)
Tool wear monitoring for optimizing cutting conditions 374
T. Obikawa, C. Kaseda, T. Matsumura, W.G. Gong and T. Shirakashi (Tokyo, Japan)
Suppression of tool wear by using an inert gas in face milling 380
Y. Yamane, N. Narutaki (Higashi-Hiroshima, Japan) and K. Hayashi (Kagoshima, Japan)
A new grinding method for aspheric ceramic mirrors 387
T. Kuriyagawa, M.S.S. Zahmaty and K. Syoji (Sendai, Japan)
Surface grinding with ultra high speed CBN wheel 393
A. Yui (Gunma-Ken, Japan), H.S. Lee (Tokyo, Japan)
Fracture characteristics of grain cutting edges of CBN wheel in truing operation 397
J.I. Takagi and M. Liu (Yokahama, Japan)
Effect of grinding parameters on acoustic emission signals while grinding ceramics 403
J. Akbari (Tehran, Iran), Y. Saito, T. Hanaoka, S. Higuchi (Chiba, Japan) and S. Enomoto (Singapore)
Monitoring of wear of abrasive grains 408
E. Gotou and M. Touge (Kumamoto, Japan)
Studies on polishing of glass moulds after lapping with hard and soft pellets 415
V.C. Venkatesh, Z. Zhong and E. Wihardjo (Singapore)
Concept and basic study of improvement system roughness, waviness, and figure accuracy by WORFAC 423
Y. Uda (Tokyo, Japan), T. Kohno, T. Yazawa, T. Suzuki and A. Soyama (Hino, Japan)
Development of an automated surface finishing system (ASFS) with in-process surface topography inspection 427
C.C.A. Chen (Taiwan, ROC) and N.A. Duffie (Madison, USA)
Cutting performance of high purity alumina ceramic tools formed by a high speed centrifugal compaction process . . . 431
S. Tashima, Y. Yamane, H. Kuroki and N. Narutaki (Higashi-Hiroshima, Japan)
Application of foundry slag for metal cutting – performance as a diffusion inhibitor 435
K. Uehara and M. Sakurai (Saitama, Japan)
An evaluation approach of machine tool characteristics with adaptive prediction 440
T. Matsumura, H. Sekiguchi and E. Usui (Tokyo, Japan)
FEM analysis of cutting sequence effect on mechanical characteristics in machined layer. 448
H. Sasahara, T. Obikawa and T. Shirakashi (Tokyo, Japan)
Combined effect of drawing and stretching axisymmetrical sheet forming 454
H.M. Shang, S. Qin and J. Mo (Singapore)
Conference Calendar 458
Author Index of Volume 62 459
Contents of Volume 62 461